




APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ SURFACE WATER

☒ GROUND WATER



\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. G429898	W.R.I.A. 48	COUNTY Okanogan	PRIORITY DATE 12-16-88	TIME 1:00 PM	ACCEPTED SMB
-----------------------------------	-----------------------	---------------------------	----------------------------------	------------------------	------------------------

APPLICANT'S NAME — PLEASE PRINT

Jeffrey G. Merkeley Man. Partner—(Riverfront Partners) Pshp.

BUSINESS TEL **206 448-6400**

ADDRESS (STREET)

(CITY)

(STATE)

(ZIP CODE)

2420 2nd Avenue

(Seattle)

Washington

98121

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION

1. SOURCE OF SUPPLY

IF SURFACE WATER

IF GROUND WATER

SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)

SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.)

TRIBUTARY

SIZE AND DEPTH

(A Well)
Ten Inch (10") x One-Hundred Fifty (150')

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)

Domestic and related support uses--and Fireflow

ENTER QUANTITY OF WATER
REQUESTED USING UNITS OF:

CUBIC FEET PER SECOND
.....CFS

OR

GALLONS PER MINUTE
(10 gpm)
.....GPM

ACRE FEET PER YEAR

(continuous group domestic supply and Fire protection)

TIMES DURING YEAR WATER WILL BE REQUIRED

Year round

IF IRRIGATION, NUMBER OF ACRES

IF DOMESTIC USE, NUMBER OF
UNITS BY TYPE, E.G. 1-HOME,
I-MOBILE HOME, 2-CAMPSITES, ETC. **six (6) Homes**

IF MUNICIPAL USE, ESTIMATED
POPULATION
20 YEARS FROM TODAY

DATE PROJECT WAS OR WILL BE STARTED

Fall 1989

DATE PROJECT WAS OR WILL BE COMPLETED

Fall 1990

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT 1	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION) Walt Foster Short Plat	SECTION 25	TOWN 36N	RANGE 19E	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----------------	-------	---	----------------------	--------------------	---------------------	---

SW 1/4 NE 1/4

Okanogan

3B. IF NOT IN PLATTED PROPERTY **(per telecom w/ Jeff Merkeley on 3/6/89)**

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW
NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)

SECTION

TOWNSHIP N.

RANGE (E. OR W.) W.M.

COUNTY

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER

Yes we are the contract owner

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM
A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.


See attached Legal Description

We are the contract purchaser

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.) Unknown status of inactive ditch ☒ YES ☐ NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

There is an old irrigation ditch on the property which does not appear to have been used in several years. WE are assuming that any previous irrigation rights are no longer valid. The source of the water was a diversion upstream on the Methow River.



6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

One ten inch (10") well with a 300GPM capacity driven by a submersible 25Hp pump. The Distribution system will be a six inch (6") PVC "deadline" with a 2 & 1/2" outlet Hydrant.

Empty lines for additional description of the system.

REMARKS
7. Our engineer will meet all DOE requirements for any water storage systems required.

Empty lines for additional remarks.

IF 10 ACRE-Feet OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Riverfront Partners--Pshp.
LEGAL LANDOWNERS NAME
(PLEASE PRINT)

[Signature]
APPLICANT'S SIGNATURE
[Signature]
LEGAL LANDOWNER'S SIGNATURE
2420 2nd Avenue, Seattle, Washington 98121
LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } SS.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....
Witness my hand this.....day of....., 19.....